

COMP 4021  
Internet Computing

AJAX with jQuery

# Simplest Ajax in jQuery: Load a File

---

```
$(document).ready(function(){
  $("button").click(function(){
    $("#div1").load("demo_test.txt");
  });
});
```

Let jQuery AJAX Change This Text



**jQuery and AJAX is FUN!**

This is some text in a paragraph.


```
<div id="div1"><h2>Let jQuery AJAX Change This Text</h2></div>
```

```
<button>Get External Content</button>
```

# GET in jQuery

---

```
$(document).ready(function(){
    $("button").click(function(){
        $.get("demo_test.asp", function(data, status){
            alert("Data: " + data + "\nStatus: " + status);
        });
    });
});
```



<button>Send an HTTP GET request to a page and get the result back</button>

# POST in jQuery

`$.post()` loads data from the server using an HTTP POST request

```
$(document).ready(function(){
    $("button").click(function(){
        $.post("demo_test_post.asp",
        { name: "Donald Duck", city: "Duckburg" },
        function(data){
            $("#demo").text(data);
        });
    });
});
```

PHP script

key/value to be passed to server script

If successful, update the "demo" <p> with returned result

Send an HTTP POST request to a page and get the result back

Send an HTTP POST request to a page and get the result back

Dear Donald Duck. Hope you live well in Duckburg.

```
<button>Send an HTTP POST request to a page and get the result back</button>
<p id="demo"></p>
```

# getJSON in jQuery

```
$(document).ready(function(){
    $("button").click(function(){
        $.getJSON("demo_ajax_json.js", function(result){
            $.each(result, function(i, field){
                $("div").append(field + " ");
            });
        });
    });
});
</script>
</head>
<body>

<button>Get JSON data</button>
<div></div>
```

i      field  
/      /  
{      "firstName": "John",  
      "lastName": "Doe",  
      "age": 25  
}

Get JSON data

Get JSON data

John Doe 25

# Ajax in jQuery

---

```
$.ajax({  
    type: "POST",           // parameters: key/value pairs  
    url: "some.php",        // a string containing the url  
    data: { name: "John", location: "Boston" } // settings : key-value pairs  
});
```

- Returns jqXHR Object, a superset of XMLHttpRequest
- Contains **responseText** and **responseXML** properties and **getResponseHeader()** method
- Other functions:
  - jqXHR.done(function(data, textStatus, jqXHR){} )
  - jqXHR.fail(function(jqXHR, textStatus, errorThrown){} )
  - jqXHR.always(function(data, textStatus, error){} )

# jqXHR Object

---

```
var jqxhr = $.ajax( "example.php" )
  .done(function() {
    alert( "success" );
  })
  .fail(function() {
    alert( "error" );
  })
  .always(function() { // whether call succeeds or fails
    alert( "complete" );
  });
});
```

# Take Home Message

---

- jQuery hides some details of AJAX
  - No need to remember response code, numerical status, etc.
  - No need to open connection, etc.
- jQuery is more browser independent than raw AJAX
  
- Ajax is an example of client server communication
- Despite the name XMLHttpRequest implies, Ajax does not require XML; plain text, csv, tsv, json, xml, etc. can be used as long as the client knows how to parse the data
- Data are passed between client and server without human involvement; what user sees on screen is after post-processing by Ajax client